

FIG. 1




FIG. 1

10

libX.a	X_1.o	ftn_X_1_1()
		ftn_X_1_2()
	X_2.o	ftn_X_2()
	vproc_libX.o	T1111V01_30sep2000_08jul2000_X() 12

FIG. 2

20

libY.a	Y_1.o	ftn_Y_1()
	Y_2.o	ftn_Y_2_1()
		ftn_Y_2_2()
	vproc_libY.o	T2222V02_30sep2000_19jul2000_Y() 22

FIG. 3

30

main()
ftn_X_1_1()
ftn_X_1_2()
ftn_X_2()
ftn_Y_1()
ftn_Y_2_1()
ftn_Y_2_2()
T0123V01_30sep2000_20jul2000()
T1111V01_30sep2000_08jul2000_X()
T2222V02_30sep2000_19jul2000_Y()

32

42

22

FIG. 4

FIG. 5

```
/usr/bin/prog_a
GMT Binder timestamp: 21JUL2000 17:18:06
Version procedure: T0123V01_30SEP2000_20Jul2000
Version procedure: T1111V01_30SEP2000_09Jul2000_X
Version procedure: T2222V02_30SEP2000_19Jul2000_Y
Version procedure: T8432D44_01DEC97_CRTLMAIN
Native Mode: runnable file
```

} 40

FIG. 5




FIG. 6




FIG. 7




FIG. 8

FIG. 9




FIG. 9